

FILE 'CAPLUS, BIOSIS, MEDLINE' ENTERED AT 14:05:42 ON 08 OCT 2003

L1 139184 S (E OR ELECTRON) (W) BEAM

L2 142324 S CATHETER

L3 69 S L1 AND L2

L4 4 S L3 AND STERIL?

L5 65 S L3 NOT L4

L6 49 S L1 AND STENT

L7 3 S L6 AND STERIL?

L8 78 S L1 AND BIOMEDICAL

L9 11 S L8 AND STERIL?

L10 10 S L9 NOT L4

L11 386 S L1 AND IMPLANT

L12 27 S L11 AND STERIL?

L Number	Hits	Search Text	DB	Time stamp
1	75587	(electron or e) adj beam	USPAT; US-PGPUB	2003/10/08 11:25
2	48077	catheter	USPAT; US-PGPUB	2003/10/08 11:17
3	123	((electron or e) adj beam) same catheter	USPAT; US-PGPUB	2003/10/08 11:17
4	55	((electron or e) adj beam) same catheter) and steril\$7	USPAT; US-PGPUB	2003/10/08 11:17
5	74453	(electron or e) adj beam	EPO; JPO; DERWENT	2003/10/08 11:25
6	30407	catheter	EPO; JPO; DERWENT	2003/10/08 11:26
10	15	((electron or e) adj beam) same catheter	EPO; JPO; DERWENT	2003/10/08 11:26